

DEJTA[®]EVO





Raffinatezza delle linee
Sophisticated lines



DELTA EVO è il nuovo sistema direzionale di LAS Mobili, dotato di tutti gli elementi necessari per allestire ambienti lavorativi di rappresentanza ma assolutamente funzionali. Scrivanie, estensioni, tavoli riunioni, tavoli da salotto, mobili contenitori e boiserie: una gamma completa di soluzioni che soddisfano pienamente le esigenze d'arredo di qualsiasi spazio, anche di ridotte dimensioni.

DELTA EVO is the new system of executive office furniture designed by LAS Mobili to provide all of the characteristics required when furnishing highly professional but completely functional working environments.

Desks, extensions, conference tables, coffee tables, cabinets and panelling: a complete range of solutions which can fully meet the needs of any space, no matter how small.





Sofisticato ed elegante *Sophisticated and elegant*

Gli inserti in metallo, uniche concessioni decorative che aggiungono raffinatezza ed eleganza alle linee essenziali e compatte di DELTA EVO.

The metal inserts are the only decorations permitted as they have been purposefully designed to add a touch of style and elegance to the essential, compact lines of DELTA EVO.

DELTA EVO

SCRIVANIE DIREZIONALI PRIVE CON 90
executive desks deep 90cms

ART. 372 ART. 373	374 375	376 377	378	383	379	380
----------------------	------------	------------	-----	-----	-----	-----

MOBILI BASSI
low cabinets

L. x p. 90 x H.75	L. x p. 190 x H.75	L. x p. 220 x H.75	L. x p. 220 x H.75	L. x p. 46,3 x H.196,7	L. x p. 46,3 x H.196,7	L. x p. 46,3 x H.196,7	L. x p. 46,3 x H.196,7	L. x p. 46,3 x H.196,7	L. x p. 46,3 x H.196,7
-------------------	--------------------	--------------------	--------------------	------------------------	------------------------	------------------------	------------------------	------------------------	------------------------

SCRIVANIE DIREZIONALI PRIVE CON 90 CON SCHIENA A TERRA
executive desks deep 90cms with high modernity panel

ART. 010 ART. 011	ART. 016 ART. 017 ART. 012 ART. 013	ART. 018 ART. 019 ART. 020 ART. 021	ART. 022 ART. 023 ART. 024 ART. 025	ART. 034 ART. 035 ART. 036 ART. 037	ART. 038 ART. 039 ART. 040 ART. 041	ART. 042 ART. 043 ART. 044 ART. 045	ART. 046 ART. 047 ART. 048 ART. 049	ART. 050 ART. 051 ART. 052 ART. 053	ART. 109 ART. 118 ART. 119
----------------------	--	--	--	--	--	--	--	--	----------------------------------

**CASSETTIERE BASSI CON SENNA
E CROCIERA AMMORTIZZATA**
low pedestals drawers with back and soft-close

PERISOLA FRONTALE PER SCRIVANIE DIREZIONALI
frontal extension for executive desks

ALLUNGO L.140
extension w 140cms

CONTROMOBILE E COMPLEMENTI
counters and complement

**CASSETTIERE SUI RUOTE CON SENNA
E CROCIERA AMMORTIZZATA**
pedestals on wheels with back and soft-close

**5° RUOTA OPZIONALE ANTI-RIBALZAMENTO
PER CASSETTIERA CLASSIFICATORE**
5th optional anti-tipping for file pedestal

**MOBILI DI SERVIZIO SU RUOTE CON SENNA
E CROCIERA AMMORTIZZATA**
extension on wheels with back and soft-close

TAVOLI DA SALOTTO
coffee tables

TAVOLI RIUNIONE SINGOLI
single meeting tables

TAVOLI RIUNIONE AGGREGABILI
modular meeting tables

ART. 104 ART. 094	055	057	ART. 172 ART. 173	056	051	052	053	009	147	148
----------------------	-----	-----	----------------------	-----	-----	-----	-----	-----	-----	-----

MOBILI BASSI
low cabinets

L. x p. 46,3 x H.81,5	L. x p. 46,3 x H.81,5	L. x p. 46,3 x H.81,5	L. x p. 46,3 x H.81,5	L. x p. 46,3 x H.158,3	L. x p. 46,3 x H.158,3	L. x p. 46,3 x H.158,3	L. x p. 46,3 x H.158,3
-----------------------	-----------------------	-----------------------	-----------------------	------------------------	------------------------	------------------------	------------------------

DESCRIZIONE TECNICA

DELTA EVO è un sistema direzionale costituito da scrivanie, tavoli riunioni, cassettiere, mobili di servizio, mobili contenitori. Le scrivanie sono utilizzabili sia singolarmente che in aggregazione con allunghi contenitori.

SCRIVANIE E ESTENSIONI

Le scrivanie sono di forma rettangolare e sono disponibili nella versione con basamento legno. Piani, fianchi e schiene di scrivanie e tavoli riunioni sono realizzati con pannelli di particelle di legno spessore mm 35 nobilitati in melaminico finitura poro legno. I piani e i fianchi sono rifiniti perimetralmente con bordo in ABS spessore mm 2 in tinta con la superficie. Le schiene sono rifinite perimetralmente con bordo melaminico di spessore mm 0,4 in tinta con la superficie.

I fianchi strutturali sono costituiti da due pannelli aggregati tra di loro tramite un distanziale in ABS e sono dotati di scarpetta in nylon alla quale viene applicato un piedino livellatore. Su fianchi e schiene sono applicati dei distanziali in ABS per il collegamento con i piani. Tutti i particolari stampati in ABS e NYLON sono verniciati nel colore nichel. Le scrivanie sono disponibili anche con schiena a terra che consiste in un pannello di particelle di legno di spessore mm 18 nobilitato in melaminico finitura poro legno, rifinito perimetralmente con bordo melaminico sp. mm 0,4 in tinta con la superficie e collegabile alla schiena strutturale tramite viti di fissaggio. Le scrivanie sono disponibili nei colori: BIANCO FRASSINO 26, NOCE 57 e WENGÉ' 45.

TAVOLI DA SALOTTO

Disponibili nelle lunghezze cm 60 e 120. I tavoli da salotto hanno piano e fianchi realizzati con pannelli di particelle di legno di spessore mm 35 nobilitati in melaminico finitura poro legno. I bordi perimetrali sono in ABS di spessore mm 2 in tinta con la superficie. La schiena è realizzata con pannello di particelle di legno di spessore mm 25 nobilitato in melaminico finitura poro legno e rifinito perimetralmente con bordo melaminico di spessore mm 0,4 in tinta con la superficie. I tavoli da salotto sono disponibili nei colori NOCE 57, BIANCO FRASSINO 26 e WENGÉ' 45.

TAVOLA RIUNIONE CIRCOLARE CON BASAMENTO A COLONNA

Costituito da: piano e basamento metallico. Piano realizzato con pannello di particelle di legno spessore mm 35 nobilitato in melaminico finitura poro legno, rifinito perimetralmente con bordo in ABS spessore mm 2 in tinta con la superficie. Il piano è disponibile nei colori NOCE 57, BIANCO FRASSINO 26 e WENGÉ' 45. Basamento metallico composto da: base circolare Ø590mm, tubo verticale e crociera superiore. Il tubo verticale ha una sezione che parte alla base con un Ø128mm e poi sale a un Ø89mm. La crociera è realizzata con lamiera metallica sp. mm 4 dotata di asole per il fissaggio sottopiano. Il basamento è verniciato a polveri epossidiche ARGENTO METALLIZZATO.

TAVOLI RIUNIONE CON BASAMENTO LEGNO

I tavoli riunione rettangolari sono di due tipi: singoli o aggregabili in composizione. Piano realizzato con pannello di particelle di legno spessore mm 35 nobilitato in melaminico finitura poro legno, rifinito perimetralmente con bordo in ABS spessore mm 2 in tinta con la superficie. È disponibile con o senza top access integrato, in alluminio anodizzato con apertura flip-top e spazzolino parapolvere. Il basamento legno è costituito da: 2 fianchi, 2 schiene e un ripiano (vano wire-manager). I fianchi sono realizzati con pannelli di particelle di legno spessore mm 35 nobilitati in melaminico finitura poro legno, rifiniti perimetralmente con bordo in ABS spessore mm 2 in tinta con la superficie. I fianchi strutturali sono dotati di scarpetta in nylon alla quale viene applicato un piedino livellatore. Le schiene e il ripiano sono realizzati con pannelli di particelle di legno spessore mm 18 nobilitati in melaminico finitura poro legno, rifiniti perimetralmente con bordo melaminico di spessore mm 0,4 in tinta con la superficie. I tavoli riunione sono disponibili nei colori NOCE 57, BIANCO FRASSINO 26 e WENGÉ' 45.

CASSETTIERE E MOBILI DI SERVIZIO

Struttura realizzata con pannelli di particelle di legno di spessore mm 18 nobilitati in melaminico finitura poro legno e rifiniti perimetralmente con bordo melaminico di spessore mm 0,4 in tinta con la superficie. Il cappello è realizzato con pannello di particelle di legno di spessore

TECHNICAL DESCRIPTION

DELTA EVO is an office system made up of desks, meeting tables, cabinets, service units, cabinets. The desks can be used both individually and together with other co-planar extensions.

DESKS AND EXTENSIONS

The desks are rectangular and are available in the version with a wooden base. Tops, sides and backs of desks and meeting tables are made in 35mm thick particleboard panels that are melamine faced in a wood pore finish. Tops and sides are rounded off with a 2mm thick ABS edge trim in a hue matching the surface. The backs are finished with a 0,4 mm thick melamine edge trim matching the surface.

The structural sides are formed of two panels which are joined by a spacer in ABS and are equipped with a nylon tip to which a leveller foot is applied. There are ABS spacers on the sides and backs for joining to the tops.

All components in ABS and NYLON are varnished in a nickel colour. Desks with backs to the floor are also available, these consist of an 18mm thick particleboard panel which is melamine faced with a wood pore finish, rounded off with a melamine edge trim 0,4 mm thick that matches the surface and can be connected to the structural back using fixing screws. The desks are available in colours: ASH WHITE 26, WALNUT 57 and WENGÉ' 45.

COFFEE TABLES

Available in two lengths: 60-120 cms. The coffee tables have tops and sides in particleboard panels 35mm thick that are melamine faced with wood pore finishing. The edge trim is 2mm ABS matching the surface. The back is made of a 25mm thick melamine faced particleboard panel with wood pore finishing and rounded off with a melamine edge trim 0,4 mm thick in a hue matching the surface. They are available in two colours: ASH WHITE 26, WALNUT 57 and WENGÉ' 45.

CIRCULAR MEETING TABLE WITH COLUMN BASE

Composed of: top and column base. Top is made in 35mm thick particleboard panel that is melamine faced in a wood pore finish. Top is rounded off with a 2mm thick ABS edge trim in a hue matching the surface. It is available in the following colours: ASH WHITE 26, WALNUT 57 and WENGÉ' 45. Metal base composed of: circular base Ø590mm, vertical column and upper plate. The column is made with a tube that has a section that starts at the base with a Ø128 mm and then rises to a Ø89 mm. The top plate is made of sheet metal sp. 4 mm with holes for fixing under-top. The metal base is painted with epoxy powder in colour METALLIC SILVER.

MEETING TABLES WITH PANELS BASE

There are two kinds of meeting tables: singles or modulars. Top is made in 35mm thick particleboard panel that is melamine faced in a wood pore finish, rounded off with a 2mm thick ABS edge trim in a hue matching the surface. It is available with or without top access, made of anodised extruded aluminium, equipped with flip-top opening door and dust seal brush. The wooden structure consists of: two sides, 2 back panels and a shelf (wire-manager space). The sides are made in 35 mm thick particleboard panels that are melamine faced in a wood pore finish, rounded off with a 2 mm thick ABS edge trim in a hue matching the surface. The sides panels are equipped with a nylon tip to which a leveller foot is applied. The back panels and the shelf are made in 18 mm thick particleboard panels that are melamine faced in a wood pore finish, are finished with a 0,4 mm thick melamine edge trim matching the surface. The meeting tables are available in two colours: ASH WHITE 26, WALNUT 57 and WENGÉ' 45.

PEDESTALS AND EXTENSIONS ON WHEELS

This structure is realised with 18 mm thick particleboard panels that are melamine faced with a wood pore finish and rounded off with a melamine edge trim 0,4 mm thick matching the surface. The canopy is made of a particleboard panel 35 mm thick that is melamine faced with a wood pore finish and a 2mm thick ABS edge trim. The base rests on swivelling wheels. Drawers and front panels. The drawer structure is built of side panels in 12 mm thick fibreboard

PACKAGING

All the components are disassembled and packed when supplied, and have paper triple type folding packaging, filets for the perimetrical protection and for the fillings up, where needed. The corners are protected, where needed, through shock resistant edges protector. The packing closure occurs through sticky tape and welded nylon strap. Pedestals are assembled, when supplied, protected through polystyrene angle bars on the sides and packed using thermo-retractable polyethylene leave when provided.

COD. 100001114 - 03/2015

Design
CSR Las Mobili

Foto
Leon Foto

Graphic Design
Dam.co

Stampa
Grafiche Martintype



DELTA EVO

coated in black PVC and of a fibre base 3 mm thick. The guides extend with ordinary pull-out whilst the filing cabinet drawers have total pull-out. The front panels are made in 18mm particleboard panel which is melamine faced with a wood pore finish. The drawer fronts are equipped with locks. The pedestals and extensions are available in two colours: ASH WHITE 26, WALNUT 57 and WENGÉ' 45.

CREDENZA

The structure is made of particleboard panels that are 18 and 25 mm thick, melamine faced with a wood pore finish and a melamine edge trim 0,4 mm thick matching the surface. The base is equipped with two leveller feet. The top is made of particleboard panel 25 mm thick, melamine faced with a wood pore finish. The edge trim is in 2 mm thick ABS in a hue matching the surface. Panels and front panels are realised with particleboard panel 18 mm thick, melamine faced with a wood pore finish and rounded off with an ABS edge trim 2 mm thick matching the surface. The credenza is available in two colours: ASH WHITE 26, WALNUT 57 and WENGÉ' 45.

LOW, MEDIUM AND HIGH CABINETS:

Structure consists of: base, upper panel, two side panels and back (of 18 mm thick inserted into milled). Structure made of 18 mm thick particleboards faced with melamine, available in colours: ANTHRACITE 56 and BR. WHITE 69, edge in 0,4 mm melamine. Height-adjustable feet in black nylon fixed under the base (4 for cabinets w 45 cms, 5 for cabinets w 90 cms), with adjustment range of 15 mm.

The shelves are made of 25 mm thick particleboards faced with melamine, available in colours: ANTHRACITE 56 and BR. WHITE 69. The edge surround is made of 2 mm ABS to match the surface. They are equipped with concealed hardware and can be fixed at height pitch of 32 mm.

The fronts and doors are made from 18 mm thick particleboards faced with melamine and available in colours: ASH WHITE 26, WALNUT 57, WENGÉ' 45. The edge is made of 2 mm ABS to match the surface. The hinges have a metal arm with 110° opening, complete with bases, with 3D adjustment. The hinges of wooden doors can be equipped with dampers kit, supplied separately, for a soft-close. The glass doors are made with aluminium profile extruded frame and vertical profile handle in colour CHAMPAGNE, 4 mm thick tempered stained glass, with lock. All doors with locks have removable cylinder and are equipped with double folding key (accident prevention).

HANDLES FOR DRAWERS AND WOODEN DOORS

Of a large size for comfortable use, center distance 64 mm, these are made in nickel finished zama. All compositions with cabinets must be completed with single finishing tops or with a top+2 final side panels set.

TOPS AND FINAL SIDE PANELS

These are made of particleboard panels 35 mm thick, melamine faced with a wood pore finish and are available in two colours: ASH WHITE 26, WALNUT 57 and WENGÉ' 45. The edge trim is in 2 mm thick ABS and matches the surface.

IMBALLO

Tutti i componenti sono forniti smontati ed imballati con involucro pieghevole in cartone triplo, listelli di protezione perimetrale e per i riempimenti ove occorre. Gli angoli sono protetti, ove occorre, con parasigilli anti-urto. La chiusura dell'imballo avviene mediante nastro adesivo e reggetta in nylon termosaldato. Le cassettiere sono fornite montate, protette sui lati con angolari in polistirolo ed imballate con foglia di polietilene termoretraibile.



DEJTA[®]*EVO*

MADE IN ITALY

